

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	293	compar\$4 with message with (ID or identification) same "same" and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 12:59
L2	109	compar\$4 with message with (ID or identification) with "same" and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 12:59
L3	17	(compar\$4 with message with (ID or identification) with "same").ab, ti, and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:00
L4	176	(send\$4 or transmit\$4) with message with (different or alternate) near3 path and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:07
L5	21	((send\$4 or transmit\$4) with message with (different or alternate) near3 path).ab,ti, and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:08
L6	0	(send\$4 or transmit\$4) with message with (different or alternate) near3 path same "do not" near4 (send\$4 or transmit\$4) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:11
L7	0	(send\$4 or transmit\$4) with message with (different or alternate) near3 path and "do not" near4 (send\$4 or transmit\$4) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:11
L8	3	(send\$4 or transmit\$4) with message with (different or alternate) near3 path same peer and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:11

S1	12428	(709/218,219,224,235).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:17
S2	8	((("20020184310") or ("20030055892") or ("20020119821") or ("20010044339")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:23
S3	2	("6829634").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:24
S4	79	("peer to peer" or P2P) same redundan\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:27
S5	5	S1 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:25
S6	47	("peer to peer" or P2P) same redundan\$4 and (send\$4 or transmit\$4 or reciec\$4) same (identical or similar) same (message or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:25
S7	1	redunc\$4 same message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:34
S8	24687	(Internet or online) same gam\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:43
S9	38	(Internet or online) same gam\$4 same ("peer to peer" or P2P)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:46

S10	14	(Internet or online) same gam\$4 same ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:24
S11	43	("peer to peer" or P2P) same redundan\$4 and (send\$4 or transmit\$4 or reciec\$4) same (identical or similar) same (message or information) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:28
S12	1326	(compar\$4) same (message or "data packet" or packet) same redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:44
S13	20	(compar\$4) with (many or multiple or several) with (message or "data packet" or packet) same redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:47
S14	20	S13 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:45
S15	707	(compar\$4) with (message or "data packet" or packet) same redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:47
S16	407	((compar\$4) with (message or "data packet" or packet)).ab,ti. and redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:48
S17	313	(compar\$4) with (message or "data packet" or packet) with redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:48
S18	5	(compar\$4) with (message or "data packet" or packet) with redund\$4 with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 08:09

S19	8	(compar\$4) with (message or "data packet" or packet) same redund\$4 with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:50
S20	3	S19 not S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:50
S21	9	("4872003" "5548819" "5610905" "5966431" "6304569" "6473425" "6493343" "6507562").PN. OR ("6891801").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/10 08:55
S22	2	("7194654").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:58
S23	2	("6899628").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:07
S24	306	(broad\$cast\$4) with (message or data) with redunda\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:09
S25	78	((broad\$cast\$4) with (message or data) with redunda\$4).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:34
S26	78	S25 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:09
S27	0	S25 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:10

S28	12853	(709/218,219,224,235).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:10
S29	0	S25 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:10
S30	2	((broad\$cast\$4) with (message or data) with redunda\$4).ab,ti. and (peer\$4to\$4peer or "P2P") and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:12
S31	14	((broad\$cast\$4) with (message or data) with redunda\$4) and (peer \$4to\$4peer or "P2P") and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:06
S32	12	S31 not S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:12
S33	6	("peer to peer" or P2P) same (compar\$4) with (message or packet or data) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:26
S34	153734	(compar\$4) near2 (message or packet or data) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:27
S35	52171	(compar\$4) near2 (message or packet or data).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:27
S36	93510	(compar\$4 or determin\$4) near2 (message or packet or data).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:27

S37	54777	(compar\$4 or determin\$4) adj2 (message or packet or data).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:28
S38	4	(compar\$4 or determin\$4) adj2 (message or packet or data).ab,ti. and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:28
S39	1	(compar\$4) adj2 (message or packet or data).ab,ti. and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:39
S40	43	(compar\$4) adj2 (message or packet or data) and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:29
S41	43	S40 not S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:29
S42	4121	redunda\$4 with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:34
S43	1	redunda\$4 with message same ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:34
S44	12	redunda\$4 with message and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:45
S45	13	(redunda\$4 or un\$want\$4 or repetiti44) with message and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:40

S46	1	S45 not S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:40
S47	15	(peer\$to\$peer or P2P) same (compar\$4) with (ID) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 08:09
S48	21	(peer\$to\$peer or P2P) same (compar\$4) with (ID or identification) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:32
S49	33	(peer\$to\$peer or P2P) same (relay \$4) with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:37
S50	8028	(compar\$4) adj (ID or identification or identity or IP) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:40
S51	7494	(compar\$4) adj (ID or identification or identity) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:40
S52	34	(compar\$4) adj (ID or identification or identity) adj2 message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:41
S53	33	S52 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:41
S54	4122	redunda\$4 with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:45

S55	579508	redunda\$4 ajd3 message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:45
S56	1288	redunda\$4 adj3 message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:35
S57	55	redunda\$4 adj3 message with compar\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:46
S58	91	S57 no9t S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:46
S59	54	S57 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:46
S60	1735	(redunda\$4 or duplicate or "same") adj3 (ID or identification) same message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:36
S61	3	(redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same (P2P or peer \$4peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:39
S62	101	(redunda\$4 or duplicate or "same") adj3 (ID or identification) same message and (P2P or peer \$4peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:39
S63	0	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message).ab.ti. and (P2P or peer\$4peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:51

S64	115	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:05
S65	46	((redunda\$4 or duplicate or "same") adj (ID or identification) same message).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 04:38
S66	46	S65 not S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:51
S67	13	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same compar\$4). ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:51
S68	151	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:05
S69	82	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:06
S70	10	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:06
S71	0	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same (updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:06
S72	49	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message and(updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:10

S73	1938	((message and(updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:10
S74	675	((redunda\$4 or duplicate or "same") with message and(updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:11
S75	2	((redunda\$4 or duplicate or "same") with message and(updat\$4) with (send\$4 or transmit\$4) with list).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:11
S76	86	((redunda\$4 or duplicate or "same") with message and(updat\$4) with (send\$4 or transmit\$4) with list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:12
S77	0	((redunda\$4 or duplicate or "same") with message with (send\$4 or transmit\$4) with (updat\$4) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:51
S78	38	((redunda\$4 or duplicate or "same") with message and (send\$4 or transmit\$4) with (updat\$4) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:15
S79	69	((send\$4 or transmit\$4) with (updat\$4) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:19
S80	31	S79 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:16
S81	1	((send\$4 or transmit\$4) with (updat\$4) with (connection) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:20

S82	9	((send\$4 or transmit\$4) with (updat\$4) with (connection) adj2 list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:21
S83	97	((send\$4 or transmit\$4) with (updat\$4) with (connection) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:25
S84	88	S83 not S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:21
S85	88	S84 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:21
S86	27	updat\$4 with (p2p or peer\$5peer or peer) with list same message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:27
S87	5	updat\$4 with (p2p or peer\$5peer or peer) adj3 message with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:27
S88	22874	(multiple or many) with "same" with connection and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:52
S89	23	(multiple or many) with "same" with connection with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:53
S90	2	(multiple or many) with "same" with connection with updat\$4 with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:52

S91	0	("peer to peer" or P2P) same (message or identification) with (redundan\$4 or duplicate) with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:43
S92	0	("peer to peer" or P2P) same (message or identification) same (redundan\$4 or duplicate) with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:43
S93	0	("peer to peer" or P2P) same (reduc\$4) with (duplicat\$4) with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:44
S94	1	("peer to peer" or P2P) and (reduc\$4) with (duplicat\$4) with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:49
S95	668	(reduc\$4) with (duplicat\$4 or "same") with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 08:40
S96	1	(reduc\$4) with (duplicat\$4 or "same") with message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:50
S97	193	(duplicat\$4 or "same") with message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:50
S98	61	(duplicat\$4 or "same") near2 message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:51
S99	2	broadcast\$4 same (duplicat\$4 or "same") near2 message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:50

S100	313	((broad\$cast\$4) with (message or data) with redunda\$4) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:06
S101	79	((broad\$cast\$4) with (message or data) with redunda\$4).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:07
S102	19	((broad\$cast\$4) with (message) with redunda\$4).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:10
S103	546	((message) with redunda\$4).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:10
S104	6	((message) with redunda\$4 with list).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:10
S105	32	((message) with redunda\$4 with list)and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 06:10
S106	26	S105 not S104	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:11
S107	18	((message) with redunda\$4 with list)and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 06:10
S108	39	(reduc\$4) with (duplicat\$4 or "same") with message and ("p2p" or (peer adj2 peer)) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:01

S109	12	(reduc\$4) with (duplicat\$4 or "same") with message with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 08:56
S110	2	("6899628").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 08:56
S111	24	(reduc\$4) with (duplicat\$4 or "same") with message and ("p2p" or (peer adj2 peer)) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S112	992	("p2p" or (peer adj2 peer)) with messag\$4 and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S113	1592	("p2p" or (peer adj2 peer)) with messag\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S114	732	("p2p" or (peer adj2 peer)) near2 messag\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S115	4	("p2p" or (peer adj2 peer)) near2 messag\$4 same (send\$4 or transmit\$4) with (message) with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:11
S116	7	("p2p" or (peer adj2 peer)) near2 messag\$4 same (duplicate or "same" or identical or exact) same (list or table) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:15
S117	6	("p2p" or (peer adj2 peer)) near2 messag\$4 same (duplicate or "same" or identical or exact) same (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:17

S118	188	("p2p" or (peer adj2 peer)) and (connect\$4) with message with (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:17
S119	25	("p2p" or (peer adj2 peer)) same (connect\$4) with message with (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:21
S120	17	("p2p" or (peer adj2 peer)) same (connect\$4) with message with (list or table) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:33
S121	1	("p2p" or (peer adj2 peer)) and (duplicate or "same" or identical) near2 (connect\$4) with message with (list or table) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:34
S122	15	(duplicate or "same" or identical) near2 (connect\$4) with message with (list or table) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:35
S123	3	(duplicate or "same" or identical) near2 (connect\$4) with message with (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:42
S124	2573	(determin\$4) with (duplicate or "same" or identical) with (message or request) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:43
S125	345	(determin\$4) with (duplicate or "same" or identical) with (message or request) same (table or list) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 10:09
S126	737	(determin\$4) with (duplicate or "same" or identical) with (message or request) same (table or list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:44

S127	131	(determin\$4) with (duplicate or identical) with (message or request) same (table or list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:44
S128	305	S125 not S127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 10:08
S129	30	(determin\$4) with (duplicate or "same" or identical) with (message or request) same (table or list) and ("p2P" or (peer near2 peer)) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 10:10
S130	63	message near3 source with origin and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:12
S131	0	("do not") with (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17
S132	0	("do not") same (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17
S133	524	("do not" or "don't") same (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17
S134	174	("do not" or "don't") with (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17
S135	2	("do not" or "don't") with (send\$4 or transmit\$4) with message with update and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17

S136	0	("do not" or "don't") with (send\$4 or transmit\$4) with message same ("p2P" or "peer to peer") and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:18
S137	0	("do not" or "don't") with (send\$4 or transmit\$4) with message and ("p2P" or "peer to peer") and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:19
S138	20	(redunda\$4 or un\$want\$4 or repetiti\$4) with message and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:57
S139	0	("peer to peer" or P2P) same message same origin and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:58
S140	10	("peer to peer" or P2P) same origin and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:58
S141	160	origin with field same message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:00
S142	12	source with origin with field same message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:01
S143	13	source with origin with field same message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:05
S144	1	S143 not S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:05

S145	5	abort near3 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:06
S146	11	(abort or cancell\$4) near3 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:06
S147	1	("do not" or "don't") near3 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:09
S148	10	("do not" or "don't") with updat\$4 with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:09
S149	1	redunda\$4 with message same ("peer to peer" or P2P) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:12
S150	2	(redunda\$4 or updat\$4) with message same ("peer to peer" or P2P) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:13
S151	87	topolog\$4 near3 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:14
S152	0	("don't" or "do not") with (send\$4 or transmit\$4) with topolog\$4 near3 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:28
S153	1080	("don't" or "do not") with (send\$4 or transmit\$4) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:29

S154	174	("don't" or "do not") with (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:29
S155	9	("don't" or "do not") near2 (send \$4 or transmit\$4) near2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:29
S156	259	("don't" or "do not" or abort\$4) near2 (send\$4 or transmit\$4) near2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:33
S157	0	("don't" or "do not" or abort\$4) near2 (send\$4 or transmit\$4) near2 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:34
S158	46	list near3 (peer or node) with updat\$4 near2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 15:08
S159	2	("20030126245").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 15:14
S160	6	("do not" or "don't") adj3 (send\$4 or transmit\$4) adj2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 15:19
S161	2	("20050086350").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:44
S162	1137	(identify\$4) with "same" with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:50

S163	40	(identify\$4) adj2 "same" adj2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:50
S164	0	(identify\$4) adj2 "same" adj2 message and (p2p or "peer to peer") and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:51
S165	539	alternate near3 path same messag \$4 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:54
S166	9	alternate near3 path same messag \$4 and ("peer to peer" or p2p) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:55
S167	11	(alternate or different or secondary) near3 path same messag\$4 and ("peer to peer" or p2p) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:56
S168	2	S167 not S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:56
S169	5004	redunda\$4 with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:01
S170	99	redunda\$4 with message with updat\$4 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:01
S171	8	(redunda\$4 with message with updat\$4).ab.ti. and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:01

S172	17	(redunda\$4 adj2 message with updat\$4) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:05
S173	15	S172 not S171	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:05
S174	0	("200030126245").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:07
S175	2	("20030126245").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:08
S176	2	("6899628").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:14

12/ 4/ 2008 1:29:39 PM

C:\ Documents and Settings\btiv\ My Documents\ EAST\ Workspaces\ 10701014_p2p_same_message.
wsp